



SINCE 1973

HIGH PRESSURE CLEANER

PRODUCT CATALOG



GASOLINE





GASOLINE



DIESEL

ENGINE DRIVEN



ELECTRIC POWER

華僑機械（吉隆坡）有限公司
Overseas Motors Corp. (KL) Sdn Bhd

No. 17, Jalan Asta Utama, Kawasan Perindustrian Asta, 43000 Kajang, Selangor Darul Ehsan.
T +6013-208 3173, +6013-208 3153 E sales@omckl.com www.omckl.com



**POWER
JET**®

With deep industry experience since 1973, our expertise vastly covers in sales, marketing and technical support for the products we distribute.

Our company is involved in the importation, marketing and distribution of:

- Garden & Agriculture Machinery
- High Pressure Cleaner
- Commercial Vacuum Cleaner
- Industrial Scrubber & Sweeper

In addition, we are the only large scale O.E.M manufacturer of garden machinery & industrial high pressure cleaner in Malaysia.

We have an established network of more than 350 active dealers across Peninsular Malaysia, Sabah and Sarawak that works closely with our company to provide the best support and service to our end customers.

All our products are designed with the best technologies from JAPAN + KOREA + ITALY + GERMANY. Also manufactured with only top quality components to provide superior performance, efficiency and reliability.



1973
INDUSTRY EXPERIENCE SINCE



>80,000
SPARE PARTS SOLD ANNUALLY



40,000+
MACHINE UNIT SOLD ANNUALLY



350+
ACTIVE DEALERS

DEALERSHIP



ANNOVI REVERBERI
The Power of Experience

ANNOVI REVERBERI S.p.A.
Via Martin Luther King 3
41122 Modena
Tel. +39 059.414.411 (r.a.)
Fax +39 059.253.505
Export Dept. Fax +39 059.251.126
Cod. Fisc. 01523090353 - Part. IVA IT02207040367
RAEE IT0802000003291
E-Mail: info@annovireverberi.it



Reg. N. 028A
UNI EN ISO 9001: 2015

TO WHOM IT MAY CONCERN

Re.: Authorization

We, the undersigned company:

ANNOVI REVERBERI S.p.A.
Via Martin Luther King, 3
41122 Modena (Italy)

declare that the company OVERSEAS MOTORS Corp. (KL) Sdn Bhd, 29/3 Jalan Loke Yew, Kuala Lumpur 55200 - Malaysia has been selected and is qualified to deal with ANNOVI REVERBERI product range of high-pressure cleaners and piston pumps in full accordance with our international dealers policy.

The above mentioned Company is authorized to handle sales and after sales business in the territory of Malaysia and receives regular training for the products lines assigned.

We, ANNOVI REVERBERI S.p.A., confirm that this Company is provided with the latest technical and marketing information and that all products offered are of current design and production.

Yours faithfully,

Mr. Mario Reverberi / Managing Director
ANNOVI REVERBERI S.p.A.



DEALERSHIP

2016

Granted to the Company

OVERSEAS MOTORS Corp. (KL) Sdn Bhd
29/3 Jalan Loke Yew, Kuala Lumpur 55200
MALAYSIA

INTERPUMP GROUP S.p.A.
Via E. Fermi n. 25 - 42049
S. ILARIO D'ENZA (RE) ITALY
Codice Fiscale 11666900151
Partita IVA IT 01682900350

Roberto Solarino - Sales Manager

INTERPUMP GROUP

Interpump Group S.p.a, Via Enrico Fermi 25, 42049 S. Ilario d'Enza, Reggio Emilia - Italy

080305

TABLE OF CONTENT

ELECTRIC POWER

PAGE **06**

PAGE **23**

ENGINE DRIVEN

PAGE **24**

PAGE **34**



H1280

DIY HIGH PRESSURE CLEANER

ELECTRIC POWER



100 BAR

Pressure

6.0 L/MIN


Flow Rate

1200 W

Motor Power



5M Power Cable



5M High Pressure Hose



Trigger Gun



Jet Lance



Built in Water Filter



DESCRIPTION

- ▶ Professional High Pressure Cleaner Designed In Germany
- ▶ Manufactured With Axial Pump & Copper Motor From Germany
- ▶ Superior Water Pressure & Flow Rate For Any Cleaning Job

FEATURES AND BENEFITS



100% Copper Winding Motor From Germany



Aluminium Axial Pump From Germany



Superior Water Pressure & Flow Rate For Effective Cleaning

SPECIFICATIONS

Max. Pressure	100 Bar	Thermal Cut-off	Yes
Max. Flow Rate	6.0 L/min	Auto-stop System	Yes
Triplex Axial Pump	Aluminium	Electric Cable (UK)	5 Meters
Inlet Fitting	EU Q/connector	Voltage	240V@50Hz
Outlet Fitting	M22 x D.15mm	High Pressure Hose	5 Meters
Auto By-pass	Yes	Hose Reel	N/A
Water Filter	Yes	Trigger Gun	YLG07(Clip)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Brush Motor	Turbo Lance	N/A
Power Rating (W)	1200W	Built In Soap Tank	N/A
Winding Material	Copper	Dry Weight (KG)	6kg
Motor RPM	3400 RPM	Box Dimensions (LxWxH):MM	350x240x390
Motor Rating	IPX5		

H2100

DIY HIGH PRESSURE CLEANER

ELECTRIC POWER



120 BAR
Pressure

6.0 L/MIN
Flow Rate


1400 W
Motor Power



5M Power Cable



5M High Pressure Hose



Trigger Gun



Jet Lance




Built in Water Filter



DESCRIPTION

- ▶ Professional High Pressure Cleaner Designed In Germany
- ▶ Manufactured With Axial Pump & Copper Motor From Germany
- ▶ Superior Water Pressure & Flow Rate For Any Cleaning Job

FEATURES AND BENEFITS



100% Copper Winding Motor From Germany



Aluminium Axial Pump From Germany



Superior Water Pressure & Flow Rate For Effective Cleaning

SPECIFICATIONS

Max. Pressure	120 Bar	Thermal Cut-off	Yes
Max. Flow Rate	6.0 L/min	Auto-stop System	Yes
Triplex Axial Pump	Aluminium	Electric Cable (UK)	5 Meters
Inlet Fitting	EU Q/connector	Voltage	240V@50Hz
Outlet Fitting	M22 x D.15mm	High Pressure Hose	5 Meters
Auto By-pass	Yes	Hose Reel	N/A
Water Filter	Yes	Trigger Gun	YLG07(Clip)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Brush Motor	Turbo Lance	Yes
Power Rating (W)	1400W	Built In Soap Tank	N/A
Winding Material	Copper	Dry Weight (KG)	6.85kg
Motor RPM	3400 RPM	Box Dimensions (LxWxH):MM	340x270x440
Motor Rating	IPX5		

TURBO-4350G

COMMERCIAL HIGH PRESSURE CLEANER

ELECTRIC POWER



110 BAR
Pressure

7.0 L/MIN
Flow Rate

1400 W
Motor Power



5M Power Cable



8M High Pressure Hose



Trigger Gun



Jet Lance



Built in Water Filter



DESCRIPTION

- ▶ Professional High Pressure Cleaner Designed In Germany
- ▶ Manufactured With Axial Pump & Copper Motor From Germany
- ▶ Superior Water Pressure & Flow Rate For Any Cleaning Job

FEATURES AND BENEFITS



Aluminium Triplex Plunger Axial Pump From Germany



100% Copper Winding Motor From Germany



Adjustable Vario Angle Nozzle For Effective Cleaning

SPECIFICATIONS

Max. Pressure	110 Bar	Thermal Cut-off	Yes
Max. Flow Rate	7.0 L/min	Auto-stop System	Yes
Triplex Axial Pump	Aluminium	Electric Cable (UK)	5 Meters
Inlet Fitting	EU Q/connector	Voltage	240V@50Hz
Outlet Fitting	M22 x D.15mm	High Pressure Hose	8 Meters
Auto By-pass	Yes	Hose Reel	N/A
Water Filter	Yes	Trigger Gun	YLG07(Clip)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Induction	Turbo Lance	N/A
Power Rating (W)	1400W	Built In Soap Tank	N/A
Winding Material	Copper	Dry Weight (KG)	10.35kg
Motor RPM	2800 RPM	Box Dimensions (LxWxH):MM	375x280x260
Motor Rating	IPX5		

H2300

COMMERCIAL HIGH PRESSURE CLEANER

ELECTRIC POWER



130 BAR
Pressure

6.0 L/MIN
Flow Rate

1600 W
Motor Power

- 5M Power Cable
- 8M High Pressure Hose
- Trigger Gun
- Jet Lance
- Built in Water Filter



DESCRIPTION

- ▶ Professional High Pressure Cleaner Designed In Germany
- ▶ Manufactured With Axial Pump & Copper Motor From Germany
- ▶ Superior Water Pressure & Flow Rate For Any Cleaning Job

FEATURES AND BENEFITS



Aluminium Triplex Plunger Axial Pump From Germany



100% Copper Winding Motor From Germany



Adjustable Vario Angle Nozzle For Effective Cleaning

SPECIFICATIONS

Max. Pressure	130 Bar	Thermal Cut-off	Yes
Max. Flow Rate	6.0 L/min	Auto-stop System	Yes
Triplex Axial Pump	Aluminium	Electric Cable (UK)	5 Meters
Inlet Fitting	EU Q/connector	Voltage	240V@50Hz
Outlet Fitting	M22 x D.15mm	High Pressure Hose	8 Meters
Auto By-pass	Yes	Hose Reel	N/A
Water Filter	Yes	Trigger Gun	YLG05(M22xD.15)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Induction	Turbo Lance	Yes
Power Rating (W)	1600W	Built In Soap Tank	N/A
Winding Material	Copper	Dry Weight (KG)	15.10kg
Motor RPM	2800 RPM	Box Dimensions (LxWxH):MM	370x325x505
Motor Rating	IPX5		

H2680

COMMERCIAL HIGH PRESSURE CLEANER

ELECTRIC POWER




140 BAR
Pressure

7.0 L/MIN
Flow Rate

1800 W
Motor Power

- 5M Power Cable
- 8M High Pressure Hose
- Trigger Gun
- Jet Lance
- Built in Water Filter



DESCRIPTION

- ▶ Professional High Pressure Cleaner Designed In Germany
- ▶ Triplex Plunger Brass Axial Pump & Copper Winding Motor From Germany
- ▶ Superior Water Pressure & Flow Rate For Any Cleaning Job

FEATURES AND BENEFITS



Triplex Plunger Brass Axial Pump From Germany



100% Copper Winding Motor From Germany



Adjustable Vario Angle Nozzle For Effective Cleaning

SPECIFICATIONS

Max. Pressure	140 Bar	Thermal Cut-off	Yes
Max. Flow Rate	7.0 L/min	Auto-stop System	Yes
Triplex Axial Pump	Forged Brass	Electric Cable (UK)	5 Meters
Inlet Fitting	EU Q/connector	Voltage	240V@50Hz
Outlet Fitting	M22 x D.15mm	High Pressure Hose	8 Meters
Auto By-pass	Yes	Hose Reel	N/A
Water Filter	Yes	Trigger Gun	YLG05(M22xD.15)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Induction	Turbo Lance	Yes
Power Rating (W)	1800W	Built In Soap Tank	N/A
Winding Material	Copper	Dry Weight (KG)	16.55kg
Motor RPM	2800 RPM	Box Dimensions (LxWxH):MM	360x325x510
Motor Rating	IPX5		

G2950

SEMI PROFESSIONAL HIGH PRESSURE CLEANER

ELECTRIC POWER




170 BAR
Pressure

8.0 L/MIN
Flow Rate

2500 W
Motor Power



- 5M Power Cable
- 10M High Pressure Hose
- Trigger Gun
- Jet Lance
- Built in Water Filter



DESCRIPTION

- ▶ Professional High Pressure Cleaner Designed In Germany
- ▶ Stainless Steel Triplex Plunger Axial Pump & Copper Motor From Germany
- ▶ Superior Water Pressure & Flow Rate For Effective Cleaning
- ▶ Manufactured In Modern & Advanced Facility For Quality & Performance

FEATURES AND BENEFITS



Aluminium Triplex Plunger Axial Pump From Germany



100% Copper Winding Motor From Germany



Modern & Advanced Manufacturing Facility & Quality Control Processes

SPECIFICATIONS

Max. Pressure	170 Bar	Thermal Cut-off	Yes
Max. Flow Rate	8.0 L/min	Auto-stop System	Yes
Triplex Axial Pump	Aluminium	Electric Cable (UK)	5 Meters
Inlet Fitting	EU Q/connector	Voltage	240V@50Hz
Outlet Fitting	Quick Clip	High Pressure Hose	10 Meters (R1)
Auto By-pass	Yes	Hose Reel	Yes
Water Filter	Yes	Trigger Gun	YLG06(M22xD.15)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Induction	Turbo Lance	Yes
Power Rating (W)	2500W	Built In Soap Tank	Yes
Winding Material	Copper	Dry Weight (KG)	24.6kg
Motor RPM	2800 RPM	Box Dimensions (LxWxH):MM	385x360x930
Motor Rating	IPX5		

H3280

SEMI PROFESSIONAL HIGH PRESSURE CLEANER

ELECTRIC POWER




170 BAR
Pressure

8.0 L/MIN
Flow Rate

2500 W
Motor Power



- 5M Power Cable
- 10M High Pressure Hose
- Trigger Gun
- Jet Lance
- Built in Water Filter



DESCRIPTION

- ▶ Professional High Pressure Cleaner Designed In Germany
- ▶ Stainless Steel Triplex Plunger Axial Pump & Copper Motor From Germany
- ▶ Superior Water Pressure & Flow Rate For Effective Cleaning
- ▶ Manufactured In Modern & Advanced Facility For Quality & Performance

FEATURES AND BENEFITS



Triplex Plunger Brass Axial Pump From Germany



100% Copper Winding Motor From Germany



Modern & Advanced Manufacturing Facility & Quality Control Processes

SPECIFICATIONS

Max. Pressure	170 Bar	Thermal Cut-off	Yes
Max. Flow Rate	8.0 L/min	Auto-stop System	Yes
Triplex Axial Pump	Forged Brass	Electric Cable (UK)	5 Meters
Inlet Fitting	EU Q/connector	Voltage	240V@50Hz
Outlet Fitting	M22 x D.15mm	High Pressure Hose	10 Meters
Auto By-pass	Yes	Hose Reel	Yes
Water Filter	Yes	Trigger Gun	YLG06(M22xD.15)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Induction	Turbo Lance	Yes
Power Rating (W)	2500W	Built In Soap Tank	Yes
Winding Material	Copper	Dry Weight (KG)	25.65kg
Motor RPM	2800 RPM	Box Dimensions (LxWxH):MM	410x375x925
Motor Rating	IPX5		

H3680

SEMI PROFESSIONAL HIGH PRESSURE CLEANER


ELECTRIC POWER



180 BAR
Pressure

9.0 L/MIN
Flow Rate

3000 W
Motor Power



5M Power Cable



10M High Pressure Hose



Trigger Gun



Jet Lance



Built in Water Filter



DESCRIPTION

- ▶ Professional High Pressure Cleaner Designed In Germany
- ▶ Stainless Steel Triplex Plunger Axial Pump & Copper Motor From Germany
- ▶ Superior Water Pressure & Flow Rate For Effective Cleaning
- ▶ Manufactured In Modern & Advanced Facility For Quality & Performance

FEATURES AND BENEFITS



Triplex Plunger Brass Axial Pump From Germany



100% Copper Winding Motor From Germany



Modern & Advanced Manufacturing Facility & Quality Control Processes

SPECIFICATIONS

Max. Pressure	180 Bar	Thermal Cut-off	Yes
Max. Flow Rate	9.0 L/min	Auto-stop System	Yes
Triplex Axial Pump	Forged Brass	Electric Cable (UK)	5 Meters
Inlet Fitting	EU Q/connector	Voltage	240V@50Hz
Outlet Fitting	M22 x D.15mm	High Pressure Hose	10 Meters
Auto By-pass	Yes	Hose Reel	Yes
Water Filter	Yes	Trigger Gun	YLG06(M22xD.15)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Induction	Turbo Lance	Yes
Power Rating (W)	3000W	Built In Soap Tank	Yes
Winding Material	Copper	Dry Weight (KG)	28.65kg
Motor RPM	2800 RPM	Box Dimensions (LxWxH):MM	412x385x925
Motor Rating	IPX5		

RC-10.120(A&R)

PROFESSIONAL HIGH PRESSURE CLEANER ANNOVI REVERBERI ITALY

ELECTRIC POWER



120 BAR
Pressure

10.0 L/MIN
Flow Rate

2200 W
Motor Power



5M Power Cable



10M High Pressure Hose



Trigger Gun



Jet Lance



Built in Water Filter



DESCRIPTION

- ▶ Professional Heavy Duty High Pressure Cleaner
- ▶ Powered By ANNOVI REVERBERI Triplex Plunger Crankshaft Pump
- ▶ 100% Copper Winding Motor Manufactured In Italy
- ▶ Assembled With High Quality Components & Accessories For Superior And Effective Cleaning Performance


FEATURES AND BENEFITS



Powered by Leading Italian High Pressure Pump - Annovi Reverberi



100% Copper Winding 4-Pole Low Speed Motor Made in Italy.



High Quality & Heavy Duty Components for Superior & Effective Cleaning Performance and Longer Lasting Reliability

SPECIFICATIONS

Pressure(Bar)	120 Bar	Motor Rating	IPX5
Flow Rate(L/min)	10.0 L/min	Motor (Rpm)	4P-1450
Valve	BY-PASS	Power (Kw/Hp)	2.2/3.0 [1x240v-50Hz]
Outlet Fitting	M22 x D.14mm	Weight (Kg)	47 kg
Auto By-pass	Yes	High Pressure Hose	10 Meters
Water Filter	Yes	Trigger Gun	SWIVEL (M22 x D.14)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Induction	Turbo Lance	Yes
Winding Material	Copper	Box Dimensions (LxWxH):MM	690x220x220

ELITE-10.120 (IPG-E1)

PROFESSIONAL HIGH PRESSURE CLEANER INTERPUMP ITALY

ELECTRIC POWER




120 BAR
Pressure

10.0 L/MIN
Flow Rate

2200 W
Motor Power



- 5M Power Cable
- 10M High Pressure Hose
- Trigger Gun
- Jet Lance
- Built in Water Filter



DESCRIPTION

- > Professional Heavy Duty High Pressure Cleaners Elite Series
- > Powered By The World's No#1 Interpump Triplex Plunger Crankshaft Pump
- > 100% Copper Winding Motor Manufactured In Italy
- > Assembled With High Quality Components & Accessories For Superior And Effective Cleaning Performance


FEATURES AND BENEFITS



Interpump Group
World's No#1 Interpump Triplex
Plunger Crankshaft Pump



100% Copper Winding
4-Pole Low Speed Motor
Made in Italy.



High Quality & Heavy Duty
Components for Superior &
Effective Cleaning Performance
and Longer Lasting Reliability

SPECIFICATIONS

Pressure(Bar)	120 Bar	Motor Rating	IPX5
Flow Rate(L/min)	10.0 L/min	Motor (Rpm)	4P-1450
Valve	BY-PASS	Power (Kw/Hp)	2.2/3.0 [1x240v-50Hz]
Outlet Fitting	M22 x D.14mm	Weight (Kg)	52.40 kg
Auto By-pass	Yes	High Pressure Hose	10 Meters
Water Filter	Yes	Trigger Gun	SWIVEL (M22 x D.14)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Induction	Turbo Lance	Optional
Winding Material	Copper	Box Dimensions (LxWxH):MM	690x220x220

ELITE-1630M (IPG)

PROFESSIONAL HIGH PRESSURE CLEANER INTERPUMP ITALY

ELECTRIC POWER




110 BAR
Pressure

12.0 L/MIN
Flow Rate

2200 W
Motor Power




- 5M Power Cable
- 10M High Pressure Hose
- Trigger Gun
- Jet Lance
- Built in Water Filter



DESCRIPTION

- > Professional Heavy Duty High Pressure Cleaners Elite Series
- > Powered By The World's No#1 Interpump Triplex Plunger Crankshaft Pump
- > 100% Copper Winding Motor Manufactured In Italy
- > Assembled With High Quality Components & Accessories For Superior And Effective Cleaning Performance


FEATURES AND BENEFITS



Interpump Group
World's No#1 Interpump Triplex
Plunger Crankshaft Pump



100% Copper Winding
4-Pole Low Speed Motor
Made in Italy.



High Quality & Heavy Duty
Components for Superior &
Effective Cleaning Performance
and Longer Lasting Reliability

SPECIFICATIONS

Pressure(Bar)	110 Bar	Motor Rating	IPX5
Flow Rate(L/min)	12.0 L/min	Motor (Rpm)	4P-1450
Valve	BY-PASS	Power (Kw/Hp)	2.2/3.0 [1x240v-50Hz]
Outlet Fitting	M22 x D.14mm	Weight (Kg)	54.40 kg
Auto By-pass	Yes	High Pressure Hose	10 Meters
Water Filter	Yes	Trigger Gun	SWIVEL (M22 x D.14)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Induction	Turbo Lance	Optional
Winding Material	Copper	Box Dimensions (LxWxH):MM	690x220x220

TURBO-10.120 (IPG-E1)

PROFESSIONAL HIGH PRESSURE CLEANER INTERPUMP ITALY

ELECTRIC POWER



120 BAR
Pressure

10.0 L/MIN
Flow Rate

2200 W
Motor Power



5M Power Cable



10M High Pressure Hose



Trigger Gun



Jet Lance



Built in Water Filter



DESCRIPTION

- ▶ Professional Heavy Duty High Pressure Cleaners Turbo Series
- ▶ Powered By The World's No#1 Interpump Triplex Plunger Crankshaft Pump
- ▶ 100% Copper Winding Motor Manufactured In Italy
- ▶ Assembled With High Quality Components & Accessories For Superior And Effective Cleaning Performance


FEATURES AND BENEFITS



World's No#1 Interpump Triplex Plunger Crankshaft Pump



100% Copper Winding 4-Pole Low Speed High Efficiency Electric Motor Made in Italy.



High Quality & Heavy Duty Components for Superior & Effective Cleaning Performance and Longer Lasting Reliability

SPECIFICATIONS

Pressure(Bar)	120 Bar	Motor Rating	IPX5
Flow Rate(L/min)	10.0 L/min	Motor (Rpm)	4P-1450
Valve	BY-PASS	Power (Kw/Hp)	2.2/3.0 [1x240v-50Hz]
Outlet Fitting	M22 x D.14mm	Weight (Kg)	53.30 kg
Auto By-pass	Yes	High Pressure Hose	10 Meters
Water Filter	Yes	Trigger Gun	SWIVEL (M22 x D.14)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Induction	Turbo Lance	Optional
Winding Material	Copper	Box Dimensions (LxWxH):MM	720x540x590

TURBO-12.100 (IPG)

PROFESSIONAL HIGH PRESSURE CLEANER INTERPUMP ITALY

ELECTRIC POWER



100 BAR
Pressure

12.0 L/MIN
Flow Rate


2200 W
Motor Power



5M Power Cable



10M High Pressure Hose




Trigger Gun



Jet Lance




Built in Water Filter



DESCRIPTION

- ▶ Professional Heavy Duty High Pressure Cleaners Turbo Series
- ▶ Powered By The World's No#1 Interpump Triplex Plunger Crankshaft Pump
- ▶ 100% Copper Winding Motor Manufactured In Italy
- ▶ Assembled With High Quality Components & Accessories For Superior And Effective Cleaning Performance


FEATURES AND BENEFITS



World's No#1 Interpump Triplex Plunger Crankshaft Pump



100% Copper Winding 4-Pole Low Speed High Efficiency Electric Motor Made in Italy.



High Quality & Heavy Duty Components for Superior & Effective Cleaning Performance and Longer Lasting Reliability

SPECIFICATIONS

Pressure(Bar)	100 Bar	Motor Rating	IPX5
Flow Rate(L/min)	12.0 L/min	Motor (Rpm)	4P-1450
Valve	BY-PASS	Power (Kw/Hp)	2.2/3.0 [1x240v-50Hz]
Outlet Fitting	M22 x D.14mm	Weight (Kg)	55.50 kg
Auto By-pass	Yes	High Pressure Hose	10 Meters
Water Filter	Yes	Trigger Gun	SWIVEL (M22 x D.14)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Induction	Turbo Lance	Optional
Winding Material	Copper	Box Dimensions (LxWxH):MM	720x540x590

TURBO-2360T (W112)

PROFESSIONAL HIGH PRESSURE CLEANER INTERPUMP ITALY

ELECTRIC POWER



160 BAR
Pressure

12.0 L/MIN
Flow Rate

5500 W
Motor Power



- 8M Power Cable
- 10M High Pressure Hose
- Trigger Gun
- Jet Lance
- Built in Water Filter



DESCRIPTION

- ▶ Professional Heavy Duty High Pressure Cleaners Turbo Series
- ▶ Powered By The World's No#1 Interpump Triplex Plunger Crankshaft Pump
- ▶ 100% Copper Winding Motor Manufactured In Italy
- ▶ Assembled With High Quality Components & Accessories For Superior And Effective Cleaning Performance


FEATURES AND BENEFITS



Interpump Group
World's No#1 Interpump Triplex
Plunger Crankshaft Pump



100% Copper Winding
4-Pole Low Speed Motor
Made in Italy.



High Quality & Heavy Duty
Components for Superior &
Effective Cleaning Performance
and Longer Lasting Reliability

SPECIFICATIONS

Pressure(Bar)	160 Bar	Motor Rating	IPX5
Flow Rate(L/min)	12.0 L/min	Motor (Rpm)	4P-1450
Valve	BY-PASS	Power (Kw/Hp)	5.5/7.5 [415v-50Hz]
Outlet Fitting	M22 x D.14mm	Weight (Kg)	68.90 kg
Auto By-pass	Yes	High Pressure Hose	10 Meters
Water Filter	Yes	Trigger Gun	SWIVEL (M22 x D.14)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Induction	Turbo Lance	Optional
Winding Material	Copper	Box Dimensions (LxWxH):MM	720x540x590

EVO-14.200 (IPG)

PROFESSIONAL HIGH PRESSURE CLEANER INTERPUMP ITALY

ELECTRIC POWER



200 BAR
Pressure

14.0 L/MIN
Flow Rate

5500 W
Motor Power




- 8M Power Cable
- 10M High Pressure Hose
- Trigger Gun
- Jet Lance
- Built in Water Filter



DESCRIPTION

- ▶ Professional Heavy Duty High Pressure Cleaners Turbo Series
- ▶ Powered By The World's No#1 Interpump Triplex Plunger Crankshaft Pump
- ▶ 100% Copper Winding Motor Manufactured In Italy
- ▶ Assembled With High Quality Components & Accessories For Superior And Effective Cleaning Performance


FEATURES AND BENEFITS



Interpump Group
World's No#1 Interpump Triplex
Plunger Crankshaft Pump



100% Copper Winding
4-Pole Low Speed Motor
Made in Italy.



High Quality & Heavy Duty
Components for Superior &
Effective Cleaning Performance
and Longer Lasting Reliability

SPECIFICATIONS

Pressure(Bar)	200 Bar	Motor Rating	IPX5
Flow Rate(L/min)	14.0 L/min	Motor (Rpm)	4P-1450
Valve	BY-PASS	Power (Kw/Hp)	5.5/7.5 [415v-50Hz]
Outlet Fitting	M22 x D.14mm	Weight (Kg)	67.90 kg
Auto By-pass	Yes	High Pressure Hose	10 Meters
Water Filter	Yes	Trigger Gun	SWIVEL (M22 x D.14)
Max. Inlet Temp.	50°C	ADJ.Vario Lance	Yes
Motor Type	Induction	Turbo Lance	Optional
Winding Material	Copper	Box Dimensions (LxWxH):MM	720x540x590

ROYAL RK-15.250 (A&R)

INDUSTRIAL HIGH PRESSURE CLEANER ANNOVI REVERBERI ITALY

ELECTRIC POWER




250 BAR
Pressure

15.0 L/MIN
Flow Rate

7500W
Motor Power



- 10M Power Cable
- 10M High Pressure Hose
- Trigger Gun
- Jet Lance
- Built in Water Filter



DESCRIPTION

- > Professional Heavy Duty High Pressure Cleaners Royal Series
- > Powered By Italian Made Annovi Reverberi Triplex Plunger Crankshaft Pump
- > 100% Copper Winding 4-Pole Low Speed High Efficiency Electric Motor Manufactured In Italy
- > Engineered With High Quality Components & Accessories For Superior And Effective Cleaning Performance


FEATURES AND BENEFITS



Triplex Plunger Crankshaft Pump
Made in Italy.



100% Copper Winding 4-Pole Low Speed High Efficiency Electric Motor
Made in Italy.



High Quality & Heavy Duty Components for Superior & Effective Cleaning Performance and Longer Lasting Reliability

SPECIFICATIONS

Pressure(Bar)	250 Bar	Motor Type	Induction
Flow Rate(L/min)	15.0 L/min	Winding Material	Copper
Pump	Forged Brass Pump Head	Motor Rating	IPX5
Motor (Rpm)	4P-1450	Power Cable	10 Meters 2.5mm CORE
Output Power (kW/HP)	7.5kW-415V-50Hz	High Pressure Hose	10 Meters
Weight (Kg)	109 kg	High Pressure Gun	Trigger Gun
Outlet Fitting	M22 x D.14mm	Extension Type (1)	Jet Lance
Auto By-pass	Yes	Water Filter	Yes
		Box Dimensions (LxWxH):MM	850x760x1050

ROYAL WS-251

INDUSTRIAL HIGH PRESSURE CLEANER INTERPUMP ITALY

ELECTRIC POWER




250 BAR
Pressure

15.0 L/MIN
Flow Rate

7500 W
Motor Power




- 10M Power Cable
- 10M High Pressure Hose
- Trigger Gun
- Jet Lance
- Built in Water Filter



DESCRIPTION

- > Professional Heavy Duty High Pressure Cleaners Royal Series
- > Powered By The World's No#1 Interpump Triplex Plunger Crankshaft Pump
- > 100% Copper Winding 4-Pole Low Speed High Efficiency Electric Motor Manufactured In Italy
- > Engineered With High Quality Components & Accessories For Superior And Effective Cleaning Performance


FEATURES AND BENEFITS



World's No#1 Interpump Triplex Plunger Crankshaft Pump



100% Copper Winding 4-Pole Low Speed High Efficiency Electric Motor
Made in Italy.



High Quality & Heavy Duty Components for Superior & Effective Cleaning Performance and Longer Lasting Reliability

SPECIFICATIONS

Pressure(Bar)	250 Bar	Motor Type	Induction
Flow Rate(L/min)	15.0 L/min	Winding Material	Copper
Pump	Forged Brass Pump Head	Motor Rating	IPX5
Motor (Rpm)	4P-1450	Power Cable	10 Meters 2.5mm CORE
Output Power (kW/HP)	7.5kW-415V-50Hz	High Pressure Hose	10 Meters
Weight (Kg)	113 kg	High Pressure Gun	Trigger Gun
Outlet Fitting	M22 x D.14mm	Extension Type (1)	Jet Lance
Auto By-pass	Yes	Water Filter	Yes
		Box Dimensions (LxWxH):MM	850x760x1050

EVO-15.500(IPG)

PROFESSIONAL HIGH PRESSURE CLEANER INTERPUMP ITALY

ELECTRIC POWER



500 BAR
Pressure

15.0 L/MIN
Flow Rate

18KW / 24HP
Motor Power



- 15M Power Cable
- 15M High Pressure Hose
- Trigger Gun
- Jet Lance
- Built in Water Filter



DESCRIPTION

- ▶ Professional Industrial High Pressure Cleaner
- ▶ Powered By The World's No#1 INTERPUMP Triplex Plunger Crankshaft Pump
- ▶ 100% Copper Winding 4-Pole Low Speed High Efficiency Electric Motor Manufactured In Italy
- ▶ Engineered With High Quality Components & Accessories For Superior And Effective Cleaning Performance


FEATURES AND BENEFITS



World's No#1 INTERPUMP Triplex Plunger Crankshaft Pump



100% Copper Winding 4-Pole Low Speed High Efficiency Electric Motor Made in Italy.



Industrial Grade Control Panel (STAR DELTA + OVERLOAD PROTECTION)

SPECIFICATIONS

Pressure(Bar)	500 Bar	Motor Rating	IPX5
Flow Rate(L/min)	15.0 L/min	Motor (Rpm)	4P-1450
Pump	Forged Brass Pump Head	Power (Kw/HP)	18KW / 24HP [3x415V-50Hz]
Valve	BY-PASS (AISI-316)	Power Cable	15 Meters (6.0MM 4-CORE)
Outlet Fitting	M24 x D.15 mm	Weight (Kg)	250.04 kg
Auto By-pass	Yes	High Pressure Hose	15 Meters (3/8-10,000psi)
Water Filter	Yes	Trigger Gun	Stainless Steel (M24 x D.15)
Max. Inlet Temp.	50°C	Nozzle Type	ZERO° G1/4M SIZE-025
Motor Type	Induction	Turbo Nozzle	Optional (Tungsten Carbide)
Winding Material	100% Copper	Box Dimensions (LxWxH):MM	1320x750x1080

RAPTOR-12.150 (LT)

PROFESSIONAL HIGH PRESSURE CLEANER PETROL ENGINE

ENGINE DRIVEN




150 BAR
Pressure

12.0 L/MIN
Flow Rate

7.0 HP
Motor Power




- 10M High Pressure Hose
- Trigger Gun
- Jet Lance
- Built in Water Filter




DESCRIPTION

- ▶ Professional Heavy Duty Engine Driven High Pressure Cleaner
- ▶ Triplex Plunger Crankshaft Brass Pump Designed In Germany
- ▶ Powered By German Engineered Petrol Engine
- ▶ Engineered With High Quality Components & Accessories For Superior And Effective Cleaning Performance

FEATURES AND BENEFITS



Triplex Plunger Crankshaft Pump Designed in Germany



High Quality & Heavy Duty Components for Superior & Effective Cleaning Performance and Longer Lasting Reliability



New Generation High Performance GX200Q Petrol Engine

SPECIFICATIONS

Pressure(Bar)	150 Bar	Engine	OMC GX200Q
Flow Rate(L/min)	12.0 L/min	Power(Kw/HP)	5.3 / 7.0
Valve	By-pass	Pump	POWERJET GERMANY
Outlet Fitting	M22 x D.14mm	High Pressure Hose	10 Meters
Auto By-pass	Yes	Trigger Gun	SWIVEL (M22 x D.14)
Water Filter	Yes	ADJ.Vario Lance	Vario Nozzle
Max. Intel Temp.	50°C	Turbo Lance	Optional
		Weight (Kg)	39.60 kg
		Box Dimensions (LxWxH):MM	740x530x590

BENZ-1508A(LT)

PROFESSIONAL HIGH PRESSURE CLEANER HONDA ENGINE

ENGINE DRIVEN



150 BAR
Pressure

12.0 L/MIN
Flow Rate

4.8 HP
Motor Power



10M High Pressure Hose



Trigger Gun



Jet Lance



Built in Water Filter



DESCRIPTION

- ▶ Professional Heavy Duty Engine Driven High Pressure Cleaner
- ▶ Triplex Plunger Crankshaft Brass Pump Designed In Germany
- ▶ Powered By The World's Leading Honda Petrol Engine
- ▶ Engineered With High Quality Components & Accessories For Superior And Effective Cleaning Performance


FEATURES AND BENEFITS



Triplex Plunger Crankshaft Pump Designed in Germany



Genuine Honda Petrol Engine For Superior Power Output Performance



High Quality & Heavy Duty Components for Superior & Effective Cleaning Performance and Longer Lasting Reliability

SPECIFICATIONS

Pressure(Bar)	150 Bar
Flow Rate(L/min)	12.0 L/min
Valve	By-pass
Outlet Fitting	M22 x D.14mm
Auto By-pass	Yes
Water Filter	Yes
Max. Intel Temp.	50°C

Engine	Honda GP-160
Power(Kw/Hp)	3.6 / 4.8
High Pressure Hose	10 Meters
Trigger Gun	SWIVEL (M22 x D.14)
ADJ.Vario Lance	Yes
Turbo Lance	Optional
Weight (Kg)	43.90 kg
Box Dimensions (LxWxH):MM	740x530x590

RCV-11.170(A&R)

PROFESSIONAL HIGH PRESSURE CLEANER HONDA & ANNOVI REVERBERI

ENGINE DRIVEN



170 BAR
Pressure

11.0 L/MIN
Flow Rate

4.8 HP
Motor Power



10M High Pressure Hose



Trigger Gun



Jet Lance




Built in Water Filter



DESCRIPTION

- ▶ Professional Engine Driven High Pressure Cleaner
- ▶ Assembled With World's Leading Triplex Plunger Crankshaft Pump From Anнови Reverberi Italy.
- ▶ Powerful Original Honda GP-160 Petrol Engine
- ▶ Engineered With High Quality Components & Accessories For Superior And Effective Cleaning Performance


FEATURES AND BENEFITS



Powered by Leading Italian High Pressure Pump - Anнови Reverberi



Genuine Honda Petrol Engine For Superior Power Output Performance



High Quality & Heavy Duty Components for Superior & Effective Cleaning Performance and Longer Lasting Reliability

SPECIFICATIONS

Pressure(Bar)	170 Bar
Flow Rate(L/min)	11.0 L/min
Valve	By-pass
Outlet Fitting	M22 x D.14mm
Auto By-pass	Yes
Water Filter	Yes
Max. Inlet Temp.	50°C
Engine	HONDA GP-160
Engine Type	Air Cooled - 4 Stroke

Power(Kw/Hp)	3.6 / 4.8 (3600 RPM)
Fuel Tank Capacity	3.1 Litres
Lube Oil Capacity	0.60 Litres (SAE10W30)
Pump	ANNOVI REVERBERI ITALY
High Pressure Hose	10 Meters
Trigger Gun	SWIVEL (M22 x D.14)
ADJ.Vario Lance	Adjustable Nozzle
Turbo Lance	Optional
Weight (Kg)	44.40 kg
Box Dimensions (LxWxH):MM	740x530x590

BENZ-12.150(IPG)

PROFESSIONAL HIGH PRESSURE CLEANER HONDA / INTERPUMP

ENGINE DRIVEN



150 BAR
Pressure

12.0 L/MIN
Flow Rate

4.8 HP
Motor Power



10M High Pressure Hose



Trigger Gun



Jet Lance



Built in Water Filter



DESCRIPTION

- ▶ Professional Heavy Duty Engine Driven High Pressure Cleaner
- ▶ Assembled With World's No#1 Triplex Plunger Crankshaft Pump From Interpump Italy
- ▶ Powered By The World's Leading Honda Petrol Engine
- ▶ Engineered With High Quality Components & Accessories For Superior And Effective Cleaning Performance


FEATURES AND BENEFITS



World's No#1 Interpump Triplex Plunger Crankshaft Pump



Genuine Honda Petrol Engine For Superior Power Output Performance



High Quality & Heavy Duty Components for Superior & Effective Cleaning Performance and Longer Lasting Reliability

SPECIFICATIONS

Pressure(Bar)	150 Bar
Flow Rate(L/min)	12.0 L/min
Valve	By-pass
Outlet Fitting	M22 x D.14mm
Auto By-pass	Yes
Water Filter	Yes
Max. Intel Temp.	50°C

Engine	Honda GP-160
Power (Kw/Hp)	3.6 / 4.8
Pump	Interpump group
High Pressure Hose	10 Meters
Trigger Gun	SWIVEL (M22 x D.14)
ADJ.Vario Lance	Yes
Turbo Lance	Optional
Weight (Kg)	42.90 kg
Box Dimensions (LxWxH):MM	740x530x590

RAPTOR-13.250 (LT)

PROFESSIONAL HIGH PRESSURE CLEANER PETROL ENGINE

ENGINE DRIVEN



250 BAR
Pressure

13.0 L/MIN
Flow Rate

13.0 HP
Motor Power



10M High Pressure Hose




Trigger Gun



Jet Lance



Built in Water Filter




DESCRIPTION

- ▶ Professional Heavy Duty Engine Driven High Pressure Cleaner
- ▶ Triplex Plunger Crankshaft Brass Pump Designed In Germany
- ▶ Powered By German Engineered Petrol Engine
- ▶ Engineered With High Quality Components & Accessories For Superior And Effective Cleaning Performance

FEATURES AND BENEFITS



Triplex Plunger Crankshaft Pump Designed in Germany



High Quality & Heavy Duty Components for Superior & Effective Cleaning Performance and Longer Lasting Reliability



New Generation High Performance LT188F Petrol Engine

SPECIFICATIONS

Pressure(Bar)	250 Bar
Flow Rate(L/min)	13.0 L/min
Valve	By-pass
Outlet Fitting	M22 x D.14mm
Auto By-pass	Yes
Water Filter	Yes
Max. Inlet Temp.	50°C

Engine	German LT188F
Power (Kw/Hp)	9.7 / 13.0
Pump	POWERJET GERMANY
High Pressure Hose	10 Meters
Trigger Gun	SWIVEL (M22 x D.14)
ADJ.Vario Lance	Ceramic Nozzle
Turbo Lance	Optional
Weight (Kg)	71 kg
Box Dimensions (LxWxH):MM	870x550x720

BENZ-LT15.250 (3WZ)

PROFESSIONAL HIGH PRESSURE CLEANER HONDA ENGINE

ENGINE DRIVEN



250 BAR
Pressure

15.0 L/MIN
Flow Rate

11.7 HP
Motor Power



10M High Pressure Hose





Trigger Gun



Jet Lance



Built in Water Filter



DESCRIPTION

- ▶ Professional Heavy Duty Engine Driven High Pressure Cleaner
- ▶ Triplex Plunger Crankshaft Brass Pump Designed In Germany
- ▶ Powered By The World's Leading Honda Petrol Engine
- ▶ Engineered With High Quality Components & Accessories For Superior And Effective Cleaning Performance

FEATURES AND BENEFITS



Triplex Plunger Crankshaft Pump Designed in Germany



High Quality & Heavy Duty Components for Superior & Effective Cleaning Performance and Longer Lasting Reliability



Genuine Honda Petrol Engine for Superior Power Output Performance

SPECIFICATIONS

Pressure(Bar)	250 Bar
Flow Rate(L/min)	15.0 L/min
Valve	By-pass
Outlet Fitting	M22 x D.14mm
Auto By-pass	Yes
Water Filter	Yes
Max. Intel Temp.	50°C

Engine	Honda GX-390
Power (Kw/Hp)	8.7 / 11.7
Pump	POWERJET GERMANY
High Pressure Hose	10 Meters
Trigger Gun	SWIVEL (M22 x D.14)
ADJ.Vario Lance	Yes
Turbo Lance	Optional
Weight (Kg)	75kg
Box Dimensions (LxWxH):MM	870x550x720

RRV-13.250(A&R)

PROFESSIONAL HIGH PRESSURE CLEANER HONDA & ANNOVI REVERBERI

ENGINE DRIVEN



250 BAR
Pressure

13.0 L/MIN
Flow Rate

11.7 HP
Motor Power



10M High Pressure Hose



Trigger Gun



Jet Lance



Built in Water Filter




DESCRIPTION

- ▶ Professional Heavy Duty Engine Driven High Pressure Cleaner
- ▶ Assembled With World's Leading Triplex Plunger Crankshaft Pump From Annovi Reverberi Italy.
- ▶ Powerful Original Honda GX-390 Petrol Engine
- ▶ Engineered With High Quality Components & Accessories For Superior And Effective Cleaning Performance

FEATURES AND BENEFITS



Powered by Leading Italian High Pressure Pump - Annovi Reverberi



High Quality & Heavy Duty Components for Superior & Effective Cleaning Performance and Longer Lasting Reliability



Genuine Honda Petrol Engine for Superior Power Output Performance

SPECIFICATIONS

Pressure(Bar)	250 Bar
Flow Rate(L/min)	13.0 L/min
Valve	By-pass
Outlet Fitting	M22 x D.14mm
Auto By-pass	Yes
Water Filter	Yes
Max. Inlet Temp.	50°C
Engine	HONDA GX-390
Engine Type	Air Cooled - 4 Stroke

Power(Kw/Hp)	8.7 / 11.7 (3600 RPM)
Fuel Tank Capacity	6.1 Litres
Lube Oil Capacity	1.1 Litres (SAE10W30)
Pump	ANNOVI REVERBERI ITALY
High Pressure Hose	10 Meters
Trigger Gun	SWIVEL (M22 x D.14)
ADJ.Vario Lance	Adjustable Nozzle
Turbo Lance	Optional
Weight (Kg)	75.50 kg
Box Dimensions (LxWxH):MM	870x550x720

BENZ-13.270(IPG)

PROFESSIONAL HIGH PRESSURE CLEANER HONDA / INTERPUMP

ENGINE DRIVEN




270 BAR
Pressure

13.0 L/MIN
Flow Rate

11.7 HP
Motor Power



10M High Pressure Hose



Trigger Gun



Jet Lance



Built in Water Filter



DESCRIPTION

- ▶ Professional Heavy Duty Engine Driven High Pressure Cleaner
- ▶ Assembled With World's No#1 Triplex Plunger Crankshaft Pump From Interpump Italy
- ▶ Powered By The World's Leading Honda Petrol Engine
- ▶ Engineered With High Quality Components & Accessories For Superior And Effective Cleaning Performance


FEATURES AND BENEFITS



World's No#1 Interpump Triplex Plunger Crankshaft Pump



Genuine Honda Petrol Engine for Superior Power Output Performance



High Quality & Heavy Duty Components for Superior & Effective Cleaning Performance and Longer Lasting Reliability

SPECIFICATIONS

Pressure(Bar)	270 Bar
Flow Rate(L/min)	13.0 L/min
Valve	By-pass
Outlet Fitting	M22 x D.14mm
Auto By-pass	Yes
Water Filter	Yes
Max. Intel Temp.	50°C

Engine	Honda GP-390
Power (Kw/Hp)	8.7 / 11.7
Pump	Interpump group
High Pressure Hose	10 Meters
Trigger Gun	SWIVEL (M22 x D.14)
ADJ.Vario Lance	Yes
Turbo Lance	Optional
Weight (Kg)	75.60 kg
Box Dimensions (LxWxH):MM	870x550x720

FD-15.250 (LT-3WZ)

PROFESSIONAL HIGH PRESSURE CLEANER DIESEL ENGINE

ENGINE DRIVEN



250 BAR
Pressure

15.0 L/MIN
Flow Rate

14.0 HP
Motor Power



10M High Pressure Hose



Trigger Gun



Jet Lance




Built in Water Filter



DESCRIPTION

- ▶ Professional Heavy Duty Diesel Engine Driven High Pressure Cleaner
- ▶ Triplex Plunger Crankshaft Brass Pump Designed In Germany
- ▶ Powerful Key-Start Diesel Engine
- ▶ Engineered With High Quality Components & Accessories For Superior And Effective Cleaning Performance

FEATURES AND BENEFITS



Triplex Plunger Crankshaft Pump Designed in Germany



Key-Starting System. Extremely User Friendly



New Generation High Performance Diesel Engine

SPECIFICATIONS

Pressure(Bar)	250 Bar
Flow Rate(L/min)	15.0 L/min
Valve	By-pass
Outlet Fitting	M22 x D.14mm
Auto By-pass	Yes
Water Filter	Yes
Max. Inlet Temp.	50°C
Engine	Diesel LT192F
Engine Type	Air Cooled - 4 Stroke
Engine Type	Vertical – Single Cylinder

Combustion System	Direct Injection
Power(Kw/Hp)	10.3 / 14.0 (3000 RPM)
Starting System	Key Start
Fuel Tank Capacity	5.5 Litres
Lube Oil Capacity	1.65 Litres (SAE10W30)
Pump	POWERJET GERMANY
High Pressure Hose	10 Meters
Trigger Gun	SWIVEL (M22 x D.14)
ADJ.Vario Lance	Ceramic Nozzle
Turbo Lance	Optional
Weight (Kg)	100.90 kg
Box Dimensions (LxWxH):MM	870x550x720

RRV-13.250 (192FD)

PROFESSIONAL HIGH PRESSURE CLEANER ANNOVI REVERBERI & DIESEL ENGINE

ENGINE DRIVEN



250 BAR
Pressure

13.0 L/MIN
Flow Rate

14.0 HP
Motor Power



10M High Pressure Hose



Trigger Gun



Jet Lance



Built in Water Filter



DESCRIPTION

- Professional Heavy Duty Diesel Engine Driven High Pressure Cleaner
- Assembled With World's Leading Triplex Plunger Crankshaft Pump From Annovi Reverberi Italy
- New Generation Powerful Key-Start Diesel Engine
- Engineered With High Quality Components & Accessories For Superior And Effective Cleaning Performance

FEATURES AND BENEFITS



Powered by Leading Italian High Pressure Pump - Annovi Reverberi



Key-Starting System. Extremely User Friendly



New Generation High Performance Diesel Engine

SPECIFICATIONS

Pressure(Bar)	250 Bar	Combustion System	Direct Injection
Flow Rate(L/min)	13.0 L/min	Power(Kw/Hp)	10.3 / 14.0 (3000 RPM)
Valve	By-pass	Starting System	Key Start
Outlet Fitting	M22 x D.14mm	Fuel Tank Capacity	5.5 Litres
Auto By-pass	Yes	Lube Oil Capacity	1.65 Litres (SAE10W30)
Water Filter	Yes	Pump	ANNOVI REVERBERI ITALY
Max. Inlet Temp.	50°C	High Pressure Hose	10 Meters
Engine	Diesel LT192F	Trigger Gun	SWIVEL (M22 x D.14)
Engine Type	Air Cooled - 4 Stroke	ADJ.Vario Lance	Adjustable Nozzle
Engine Type	Vertical – Single Cylinder	Turbo Lance	Optional
		Weight (Kg)	104.10 kg
		Box Dimensions (LxWxH):MM	870x550x720

FD-13.270(IPG)

PROFESSIONAL HIGH PRESSURE CLEANER INTERPUMP & DIESEL ENGINE


ENGINE DRIVEN



270 BAR
Pressure

13.0 L/MIN
Flow Rate

14.0 HP
Motor Power



10M High Pressure Hose



Trigger Gun



Jet Lance




Built in Water Filter



DESCRIPTION

- Professional Heavy Duty Diesel Engine Driven High Pressure Cleaner
- Assembled With World's No#1 Triplex Plunger Crankshaft Pump From Interpump Italy
- Powerful Key-Start Diesel Engine
- Engineered With High Quality Components & Accessories For Superior And Effective Cleaning Performance

FEATURES AND BENEFITS



World's No#1 Interpump Triplex Plunger Crankshaft Pump



Key-Starting System. Extremely User Friendly



New Generation High Performance Diesel Engine

SPECIFICATIONS

Pressure(Bar)	270 Bar	Combustion System	Direct Injection
Flow Rate(L/min)	13.0 L/min	Power(Kw/Hp)	10.3 / 14.0 (3000 RPM)
Valve	By-pass	Starting System	Key Start
Outlet Fitting	M22 x D.14mm	Fuel Tank Capacity	5.5 Litres
Auto By-pass	Yes	Lube Oil Capacity	1.65 Litres (SAE10W30)
Water Filter	Yes	Pump	INTERPUMP ITALY
Max. Inlet Temp.	50°C	High Pressure Hose	10 Meters
Engine	Diesel LT192F	Trigger Gun	SWIVEL (M22 x D.14)
Engine Type	Air Cooled - 4 Stroke	ADJ.Vario Lance	Adjustable Nozzle
Engine Type	Vertical – Single Cylinder	Turbo Lance	Optional
		Weight (Kg)	104.30 kg
		Box Dimensions (LxWxH):MM	870x550x720